

Product code:GL124-000-283

RHINOweld HEAVY DUTY ALUMINISED GAUNTLET



Branding:

GL124

size 10

CE

EN388



3 2 2 3

EN12477A



3 1 3 x 3 x

Technical data:

A370 aluminised woven Kevlar back. Heavy duty 1.3mm split leather supported palm, 100°C contact heat. Wing thumb, part welted seams, Kevlar stitched. 190gsm woollen felt lining to palm. Fully lined with 100% brushed cotton.

Cat II EN388: Abrasion - 3, Cut - 2, Tear - 2, Puncture - 3

EN12477 Type A: Burning behaviour - 3, Contact heat - 1, Convective heat - 3, Radiant heat - 1, Small splashes molten metal - 3, Large splashes molten metal - x (glove test scores based on 1 = lowest, 5 = highest)

Packaging

6 pairs packed in a plain polybag + 1 English language User Guide per pack.
10 packs to an export carton.

Carton with product code and carton quantity on both ends.

For more detailed packing instructions,
please refer to packaging specification
PKGS 004

RHINO weld

GL124 Heavy duty aluminised gauntlet

Aluminised woven Kevlar back. Heavy duty 1.3mm split leather supported palm, 100°C contact heat. Wing thumb, part welted seams, Kevlar stitched. Heavy duty woollen felt lining to palm and back of hand. Fully lined with 100% brushed cotton.

CE Approved to EN388 & EN12477A Size 10

Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn, to ensure no damage is present. Gloves should not be left in a contaminated condition if re-use is intended and should be cleaned as much as possible using a damp cloth, provided that no serious hazard exists before removing from hands. Gloves that are cut, burnt or punctured or showing signs of fraying must not be used. If in doubt, do not use and seek professional advice.

Transportation/Storage: Gloves should be transported and stored in dry conditions and where possible, in the original packaging.

Obsolescence: When stored as recommended the gloves will not suffer any changes in mechanical properties. Service life cannot be specified and depends on application and responsibility of user to ascertain suitability of the glove for its intended use.

General: None of the raw materials or processes used in the manufacture of these products is known to have any harmful effects on the wearer. However, a list of raw substances is available on request. The model referred to in this specification is designed to accommodate the basic health and safety requirements and standards as laid down in EC Directive 89/686/EEC Annex II. EC type examination carried out by: Intertek Lab Test UK Ltd., Centre Court, Meridian Business Park, Leicester LE19 1WD

Performance figures are shown on the right - the higher the rating (to a maximum of 5), the better the protection.

Type B gloves are recommended when high dexterity is required such as for TIG welding. Type A gloves are recommended for other welding processes. There is no standardised test method at present for detecting UV penetration of materials for gloves, but the current methods of construction of protective gloves for welders do not normally allow the penetration of UV radiation. With Arc welding installations, it is not possible to protect all parts conducting the welding voltage against direct contact, for operational reasons.

Instructions for Use: Place the glove over hand, fitting the thumb and fingers in the appropriate positions, making sure the glove is fitted comfortably to carry out the task to be undertaken. Remove by pulling the glove upward away from the fingers.

Glove markings: RHINOweld, CE mark, performance symbols, model designation

EN388



3	2	2	3
Abrasion	Cut	Tear	Puncture

EN12477 Type A



3	1	3	x	3	x
Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large splashes of molten metal



FUTURE
GARMENT'S LTD

Aqua House, Buttress Way,
Smethwick, West Midlands
T: 0121 555 7167 F: 0121 555 7168

The information contained herein is intended to assist the wearer in the selection of Personal Protective Equipment. The results of physical tests should also help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the user to determine the suitability of the glove for its intended use.

EC TYPE EXAMINATION CERTIFICATE

Approved Body 0362

Issued to : Future Garments Ltd
 Aqua House, Buttress Way, Smethwick, West Midlands, B66 3DL

Manufacturer : Future Garments India PVT India
 246 Sector A, Zone B, Manchester Ind Est, Bhubaneswar,
 750101, Orissa, India

Date of Issue : 01 August 2011

Expiry Date : 01 August 2016

Certificate No. : LEC FI00320118

Product Reference : GL124-000-283

EN 420:2003 General Gloves	Performance level achieved	
Dexterity	2	
Sizes	9	
EN 388:2003 Mechanical Risks		
Abrasion resistance	3	
Blade cut resistance	2	
Tear resistance	2	
Puncture Resistance	3	
EN 12477:2001 Welding Gloves	Type	Level
Burning Behaviour	A	3
Contact Heat	A	1
Convective Heat	A	3
Small drops of molten metal	A	3

The welders gloves detailed above meet the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) for intermediate design category products.

This has been shown through satisfactory testing to EN 12477:2001 and examination of the technical documentation.

Following an EC declaration of product conformity, you are hereby licensed to mark the product(s) detailed above in accordance with article 13 of the PPE Directive (89/686/EEC).

[Signature]

Assessor

Date: 01/08/2011

[Signature]

Certification Manager

Date: 01/08/2011

For and on behalf of
Intertek Labtest UK Limited





**EC DECLARATION OF CONFORMITY (in accordance with BS EN ISO/IEC
17050-1:2010)**

No. 2011-08-001

**FUTURE GARMENTS LTD ,
AQUA HOUSE , BUTTRESS WAY ,
SMETHWICK , WARLEY ,
WEST MIDLANDS B66 3DL**

**We hereby declare that the following Personal Protective Equipment :
GL124-000-283 – MIG Aluminized Gauntlet in Tan split with Aluminized Back**

**Are in conformity with the provisions of Council Directive 89/686/EEC and with
the national transposing harmonized Standard No's :
EN420:2003 , EN388:2003 AND EN12477:2001 , and is identical to the PPE
which is the subject of EC Certificate No : LECFI00320118 Dated 01/08/2011
issued by the : (Notified body No:0362)**

**INTERTEK Labtest UK Ltd ,
Centre Court ,
Meridian Business Park , Leicester ,
LE19 1WD , UK**

Signed for and on behalf of :

Name : H.S.Uppal

Name : Max Palak

Position : Technical Director

Position : Managing Director

Date : 2nd August 2011

Place of issue : Birmingham , Head Office.